Author index

Aarup Skou, H. *see* Hagstrup Christensen, J.
Abdelnoor, M. *see* Djurovic, S.
Adami, H.-O. *see* Mucci, L.A.
Agewall, S., Fagerberg, B., Berglund, G., Schmidt, C., Wendelhag, I. & Wikstrand, J. Multiple risk intervention trial in high risk hypertensive men: comparison of ultrasound intima-media thickness and clinical outcome during 6 years of follow-up, 305
Ahlbom, A. *see* Hammar, N.
Ahmed, N. & Wahlgren, N. High initial blood pressure after acute stroke is associated with poor functional outcome, 467
Ahrén, B. *see* Lindeberg, S.
Alfthan, G. *see* Knekt, P.
Anania, M.C. *see* Picarelli, A.
Andersson, T. *see* Hammar, N.
Anti, M. *see* Liverani, E.
Armuzzi, A. *see* Liverani, E.
Arnqvist, H. *see* Wibell, L.
Aromaa, A. *see* Knekt, P.
Attvall, S. *see* Bokemark, L.
Awad Tageldin, M. *see* Elmasry, A.
Axelsson, T., Jansson, P.-A., Smith, U. & Eliasson, B. Nicotine infusion acutely impairs insulin sensitivity in type 2 diabetic patients but not in healthy subjects, 539

Bak, A.A.A. *see* Hillege, H.L.
Bakken, A. *see* Retterstol, L.
Beevers, D.G. *see* Lip, G.Y.H.
Bennet, A.M., Näslund, T.I., Morgenstern, R. & De Faire, U. Bioinformatic and experimental tools for identification of single-nucleotide polymorphisms in genes with a potential role for the development of the insulin resistance syndrome, 127
Berg, K. *see* Djurovic, S.
Berg, K. *see* Retterstol, L.
Berglund, G. *see* Agewall, S.
Berglund, U.L. *see* Scott, A.
Bergquist, A., Glaumann, H., Stål, P., Wang, G.-S. & Broomé, U. Biliary dysplasia, cell proliferation and nuclear DNA-fragmentation in primary sclerosing cholangitis with and without cholangiocarcinoma, 69
Berg Schmidt, E. *see* Hagstrup Christensen, J.
Berndt, A.K. *see* From Attebring, M.
Berne, C. Diabetes mellitus – a more solid ground for treatment, 391 (Editorial)
Berne, C. *see* Elmasry, A.
Bernstein, S.J. *see* Brorsson, B.
Berntorp, I.E *see* Gottsäter, A.
Björkegren, K. & Svärdsudd, K. Serum cobalamin, folate, methylmalonic acid and total homocysteine as vitamin B12 and folate tissue deficiency markers among elderly Swedes – a population-based study, 423
Blohmé, G. *see* Wibell, L.
Bohn, M. *see* Retterstol, L.
Bokemark, L., Wikstrand, J., Attvall, S., Hulthe, J., Wedel, H. & Fagerberg, B. Insulin resistance and intima–media thickness in the carotid and femoral arteries of clinically healthy 58-year-old men. The Atherosclerosis and Insulin Resistance Study (AIR), 59
Boman, G. *see* Elmasry, A.
Boman, K. *see* Johansson, Å.
Bondjers, G. *see* Wiklund, O.
Bouvier, F. *see* Jensen-Urstad, M.
Brenner, M.K. Gene transfer and the treatment of haematological malignancy, 345 (Minisymposium)
Brook, R.H. *see* Brorsson, B.
Broomé, U. *see* Bergquist, A.
Brorsson, B., Bernstein, S.J., Brook, R.H. & Werkö, L. Quality of life of chronic stable angina patients 4 years after coronary angioplasty or coronary artery bypass surgery, 47

Carithers, R.L. *see* Larson, A.M.
Cederquist, K. *see* Johansson, Å.
Crijns, H.J.G.M. *see* Hillege, H.L.

De Faire, U. *see* Bennet, A.M.
De Jong, P.E. *see* Hillege, H.L.
De Zeeuw, D. *see* Hillege, H.L.
Demacker, P.N.M. *see* Stahlenhoef, A.F.H.
Di Cello, T. *see* Picarelli, A.
Di Tola, M. *see* Picarelli, A.
Diercks, G.F.H. *see* Hillege, H.L.
Dieringer, T. *see* Schürmann, M.
Dilber, M.S. & Gahrton, G. Suicide gene therapy: possible applications in haematopoietic disorders, 359 (Minisymposium)
Dimberg, L. *see* Kumlin, L.
Djurovic, S., Os, I., Hofstad, A.E., Abdelnoor, M., Westheim, A. & Berg, K. Increased plasma concentrations of TGF-β_1 after hormone replacement therapy, 271 (Erratum)
Dunbar, C.E. The use of nonhuman primate models to improve gene transfer into haematopoietic stem cells, 329 (Minisymposium)

Ebbehoj, E. *see* Poulsen, P.L.
Edmunds, E. *see* Lip, G.Y.H.
Ekman, A., Michaëlsson, K., Ljunghall, S. & Mallmin, H. Almost all institutionalized women are osteoporotic, when measured by heel and finger ultrasound, 173
Eliasson, B. *see* Axelsson, T.
Elisaf, M. *see* Milionis, H.J.
Elmasry, A., Lindberg, E., Berne, C., Janson, C., Gislason, T., Awad Tageldin, M. & Boman, G. Sleep-disordered breathing and glucose metabolism in hypertensive men: a population-based study, 153
Engel, S. *see* Holmer, S.R.
Engström, I. *see* Ronquist, G.
Engström, I. *see* Waldenström, A.
Erikssen, J. *see* Retterstol, L.
Eriksson, B. *see* Kumlin, L.
Eriksson, H. *see* Wilhelmsen, L.
Erkkilä, P.H. *see* Ukkola, O.

Fagerberg, B. *see* Agewall, S.
Fagerberg, B. *see* Bokemark, L.
Felmeden, D.C. *see* Lip, G.Y.H.
Forsberg, H. *see* Johansson, Å.
From Attebring, M., Herlitz, J., Berndt, A.K., Karlsson, T. & Hjalmarson, Å. Are patients truthful about their smoking habits? A validation of self-report about smoking cessation with biochemical markers of smoking activity amongst patients with ischaemic heart disease, 145

Gabrielli, F. *see* Picarelli, A.
Gahrton, G. Introduction: Haematopoietic cell gene therapy, 327 (Minisymposium)
Gahrton, G. *see* Dilber, M.S.
Gardarsdóttir, M. *see* Hardarson, T.
Gasbarrini, G. *see* Liverani, E.
Gentiloni, N. *see* Liverani, E.
Gerzmann, J.-F. *see* Lankisch, P.G.
Gerzmann, M. *see* Lankisch, P.G.

© 2001 Blackwell Science Ltd

Gislason, T. *see* Elmasry, A.
Glaumann, H. *see* Bergquist, A.
Gottsäter, A., Rendell, M., Hulthén, U.L., Berntorp, I.E & Mattiasson, I. Hormone replacement therapy in healthy postmenopausal women: a randomized, placebo-controlled study of effects on coagulation and fibrinolytic factors, 237
Grobbee, D.E. *see* Hillege, H.L.
Gudmundsson, K.Th. *see* Hardarson, T.

Hägg, E. *see* Rolandsson, O.
Hagstrup Christensen, J., Aarup Skou, H., Madsen, T., Tørring, I. & Berg Schmidt, E. Heart rate variability and n-3 polyunsaturated fatty acids in patients with diabeies mellitus, 545
Hallmans, G. *see* Rolandsson, O.
Hallqvist, J. *see* Hammar, N.
Hammar, N., Andersson, T., Reuterwall, C., Nilsson, T., Knutsson, A., Hallqvist, J. & Ahlbom, A. Geographical differences in the incidence of acute myocardial infarction in Sweden. Analyses of possible causes using two parallel case–control studies, 137
Hardarson, T., Gardarsdóttir, M., Gudmundsson, K.Th., Thorgeirsson, G., Sigvaldason, H. & Sigfússon, N. The relationship between educational level and mortality. The Reykjavík Study, 495
Hartikainen, J. *see* Nousiainen, T.
Hatamochi, A. *see* Nishiyama, Y.
Hectors, M. *see* Stahlenhoef, A.F.H.
Heliövaara, M. *see* Knekt, P.
Hellblom, A. *see* Laska, A.C.
Hengstenberg, C. *see* Holmer, S.R.
Herlitz, J. *see* From Attebring, M.
Hillege, H.L., Janssen, W.M.T., Bak, A.A.A., Diercks, G.F.H., Grobbee, D.E., Crijns, H.J.G.M., Van Gilst, W.H., De Zeeuw, D. & De Jong, P.E. Microalbuminuria is common, also in a nondiabetic, nonhypertensive population, and an independent indicator of cardiovascular risk factors and cardiovascular morbidity, 519
Hirayama, K., Kobayashi, M., Muro, K., Yoh, K., Yamagata, K. & Koyama, A. Specific T-cell receptor usage with cytokinemia in Henoch–Schönlein purpura nephritis associated with *Staphylococcus aureus* infection, 289
Hjalmarson, A. *see* From Attebring, M.
Hofstad, A.E. *see* Djurovic, S.
Höjer, J. *see* Jensen-Urstad, M.
Hökfelt, T., Pernow, B. & Wahren, J. Substance P: a pioneer amongst neuropeptides, 27 (Review)
Holmer, S.R., Hengstenberg, C., Mayer, B., Engel, S., Löwel, H., Riegger, G.A.J. & Schunkert, H. Marked suppression of renin levels by β-receptor blockers in patients treated with standard heart failure therapy: a potential mechanism of benefit from β-blockade, 167
Hulthe, J. *see* Bokemark, L.
Hulthe, J. *see* Wiklund, O.
Hulthén, P. *see* Scott, A.
Hulthén, U.L. *see* Gottsäter, A.
Hulting, J. *see* Jensen-Urstad, M.
Hurt-Camejo, E. *see* Wiklund, O.

Janson, C. *see* Elmasry, A.
Janssen, W.M.T. *see* Hillege, H.L.
Jansson, P.-A. *see* Axelsson, T.
Jantunen, E. *see* Nousiainen, T.
Jensen-Urstad, K. *see* Jensen-Urstad, M.
Jensen-Urstad, M., Samad, B.A., Jensen-Urstad, K., Hulting, J., Ruiz, H., Bouvier, F. & Höjer, J. Risk assessment in patients with acute myocardial infarction treated with thrombolytic therapy, 527
Johansson, Å., Boman, K., Cederquist, K., Forsberg, H. & Olsson, T. Increased levels of tPA antigen and tPA/PAI-1 complex in myotonic dystrophy, 503

Kahan, T. *see* Laska, A.C.
Kärkkäinen, J. *see* Kauppinen-Mäkelin, R.
Karlsson, S. *see* Woods, N.-B.
Karlsson, T. *see* From Attebring, M.
Katayama, Y. *see* Nishiyama, Y.
Kauppinen-Mäkelin, R., Tähtelä, R., Löyttyniemi, E., Kärkkäinen, J. & Välimäki, M.J. A high prevalence of hypovitaminosis D in Finnish medical in- and outpatients, 559
Kesäniemi, Y.A. *see* Ukkola, O.
Kierulf, P. *see* Retterstol, L.
Kiuchi, K. *see* Nishiyama, Y.
Knekt, P., Alfthan, G., Aromaa, A., Heliövaara, M., Marniemi, J., Rissanen, H. & Reunanen, A. Homocysteine and major coronary events: a prospective population study amongst women, 461
Knutsson, A. *see* Hammar, N.
Kobayashi, M. *see* Hirayama, K.
Kobayashi, T. *see* Tanaka, S.
Kohn, D.B. Gene therapy for genetic haematological disorders and immunodeficiencies, 379 (Minisymposium)
Kolev, K., Skopál, J., Nagy, Z. & Machovich, R. Is the streptokinase responsible for the endothelial injury and the platelet activation during fibrinolytic therapy?, 475 (Letter to the Editor)
Kotani, E. *see* Nishiyama, Y.
Koyama, A. *see* Hirayama, K.
Kumlin, L., Latscha, G., Orth-Gomér, K., Dimberg, L., Lanoiselée, C., Simon, A. & Eriksson, B. Marital status and cardiovascular risk in French and Swedish automotive industry workers – cross sectional results from the Renault–Volvo Coeur study, 315

Laakso, M. Cardiovascular disease in type 2 diabetes: challenge for treatment and prevention, 225 (Review)
Lankisch, P.G., Gerzmann, M., Gerzmann, J.-F. & Lehnick, D. Unintentional weight: diagnosis and prognosis. The first prospective follow-up study from a secondary referral centre, 41
Lanoiselée, C. *see* Kumlin, L.
Lappas, G. *see* Wilhelmsen, L.
Larson, A.M. & Carithers, R.L. Hepatitis C in clinical practice, 111 (Review)
Laska, A.C., Hellblom, A., Murray, V., Kahan, T. & Von Arbin, M. Aphasia in acute stroke and relation to outcome, 413
Latscha, G. *see* Kumlin, L.
Lehnick, D. *see* Lankisch, P.G.
Lernmark, Å. *see* Rolandsson, O.
Liamis, G. *see* Milionis, H.J.
Lindberg, E. *see* Elmasry, A.
Lindeberg, S., Söderberg, S., Ahrén, B. & Olsson, T. Large differences in serum leptin levels between nonwesternized and westernized populations: the Kitava study, 553
Lip, G.Y.H. & Felmeden, D.C. Hormone replacement therapy and cardiovascular risk: do abnormalities of coagulation and fibrinolysis matter?, 201 (Editorial)
Lip, G.Y.H. Response to Kolev et al., 476 (Letter to the Editor)
Lip, G.Y.H., Edmunds, E. & Beevers, D.G. Should patients with hypertension receive antithrombotic therapy?, 205 (Review)
Lithner, F. *see* Wibell, L.
Littorin, B. *see* Wibell, L.
Liverani, E., Armuzzi, A., Mormile, F., Anti, M., Gasbarrini, G. & Gentiloni, N. Amiodarone-induced adult respiratory distress syndrome after nonthoracotomy subcutaneous defibrillator implantation, 569 (Letter to the Editor)
Ljunghall, S. *see* Ekman, A.

Löwel, H. *see* Holmer, S.R.
Löyttyniemi, E. *see* Kauppinen-Mäkelin, R.

Machovich, R. *see* Kolev, K.
Madsen, T. *see* Hagstrup Christensen, J.
Mallmin, H. *see* Ekman, A.
Manhem, O. *see* Scott, A.
Marniemi, J. *see* Knekt, P.
Mastracchio, A. *see* Picarelli, A.
Mattiasson, I. *see* Gottsäter, A.
Mayer, B. *see* Holmer, S.R.
Michaëlsson, K. *see* Ekman, A.
Mikkola, H. *see* Woods, N.-B.
Milionis, H.J., Liamis, G. & Elisaf, M. Appropriate treatment of hypernatraemia in diabetic hyperglycaemic hyperosmolar syndrome, 273 (Letter to the Editor)
Mincheva-Nilsson, L. *see* Rolandsson, O.
Mogensen, C.E. *see* Poulsen, P.L.
Morgenstern, R. *see* Bennet, A.M.
Mormile, F. *see* Liverani, E.
Mucci, L.A., Wedren, S., Tamimi, R.M., Trichopoulos, D. & Adami, H.-O. The role of gene–environment interaction in the aetiology of human cancer: examples from cancers of the large bowel, lung and breast, 477 (Review)
Müller-Myhsok, B. *see* Schürmann, M.
Müller-Quernheim, J. *see* Schürmann, M.
Muro, K. *see* Hirayama, K.
Murray, V. *see* Laska, A.C.

Nagy, Z. *see* Kolev, K.
Näslund, T.I. *see* Bennet, A.M.
Nejima, J. *see* Nishiyama, Y.
Nilsson, E. *see* Woods, N.-B.
Nilsson, M. *see* Rolandsson, O.
Nilsson, T. *see* Hammar, N.
Nilstun, T. & Sjökvist, P. From fact to recommendation: explicit value premises make the conclusion more convincing, 121 (Review)
Nishiyama, Y., Nejima, J., Watanabe, A., Kotani, E., Sakai, N., Hatamochi, A., Shinkai, H., Kiuchi, K., Tamura, K., Shimada, T., Takano, T. & Katayama, Y. Ehlers–Danlos syndrome type IV with a unique point mutation in *COL3A1* and familial phenotype of myocardial infarction without organic coronary stenosis, 103 (Case report)
Nousiainen, T., Vanninen, E., Jantunen, E., Puustinen, J., Remes, J., Rantala, A. & Hartikainen, J. Comparison of echocardiography and radionuclide ventriculography in the follow-up of left ventricular systolic function in adult lymphoma patients during doxorubicin therapy, 297
Nyström, L. *see* Wibell, L.

Olsson, K. *see* Woods, N.-B.
Olsson, T. *see* Johansson, Å.
Olsson, T. *see* Lindeberg, S.
Orth-Gomér, K. *see* Kumlin, L.
Os, I. *see* Djurovic, S.
Östman, J. *see* Wibell, L.

Pedersen, J.C. *see* Retterstol, L.
Pernow, B. *see* Hökfelt, T.
Picarelli, A., Di Tola, M., Sabbatella, L., Mastracchio, A., Trecca, A., Gabrielli, F., Di Cello, T., Anania, M.C. & Torsoli, A. Identification of a new coeliac disease subgroup: antiendomysial and anti-transglutaminase antibodies of IgG class in the absence of selective IgA deficiency, 181
Poredos, P. *see* Zizek, B.
Poulsen, P.L., Ebbehoj, E. & Mogensen, C.E. Lisinopril reduces albuminuria during exercise in low grade microalbuminuric Type 1 diabetic patients: a double blind randomized study, 433
Puustinen, J. *see* Nousiainen, T.

Rantala, A. *see* Nousiainen, T.
Reichel, P. *see* Schürmann, M.
Remes, J. *see* Nousiainen, T.
Rendell, M. *see* Gottsäter, A.
Retterstol, L., Kierulf, P., Pedersen, J.C., Bohn, M., Bakken, A., Erikssen, J. & Berg, K. Plasma fibrinogen level and long-term prognosis in Norwegian middle-aged patients with previous myocardial infarction. A 10 year follow-up study, 511
Reunanen, A. *see* Knekt, P.
Reuterwall, C. *see* Hammar, N.
Riegger, G.A.J. *see* Holmer, S.R.
Rissanen, H. *see* Knekt, P.
Ritz, E., Rychlík, I., Schömig, M. & Wagner, J. Blood pressure in diabetic neuropathy – current controversies, 215 (Review)
Rolandsson, O., Hägg, E., Nilsson, M., Hallmans, G., Mincheva-Nilsson, L. & Lernmark, Å. Prediction of diabetes with body mass index, oral glucose tolerance test and islet cell autoantibodies in a regional population, 279
Ronquist, G. *see* Waldenström, A.
Ronquist, G., Rudolphi, O., Engström, I. & Waldenström, A. Familial phosphofructokinase deficiency is associated with a disturbed calcium homeostasis in erythrocytes, 85
Rosengren, A. *see* Wilhelmsen, L.
Rudolphi, O. *see* Ronquist, G.
Ruiz, H. *see* Jensen-Urstad, M.
Rychlík, I. *see* Ritz, E.

Sabbatella, L. *see* Picarelli, A.
Sakai, N. *see* Nishiyama, Y.
Samad, B.A. *see* Jensen-Urstad, M.
Savolainen, M.J. *see* Ukkola, O.
Schlaak, M. *see* Schürmann, M.
Schmidt, C. *see* Agewall, S.
Schömig, M. *see* Ritz, E.
Schunkert, H. *see* Holmer, S.R.
Schürmann, M., Reichel, P., Müller-Myhsok, B., Dieringer, T., Wurm, K., Schlaak, M., Müller-Quernheim, J. & Schwinger, E. Angiotensin-converting enzyme (ACE) gene polymorphisms and familial occurrence of sarcoidosis, 79
Schwinger, E. *see* Schürmann, M.
Scott, A., Berglund, U.L., Hulthén, P., Manhem, O., Thorsson, P., Wollmer, C. & Törnquist, C. Metaiodobenzylguanidine (MIBG) scintigraphy and computed tomography (CT) in clinical practice. Primary and secondary evaluation for localization of phaeochromocytomas, 247
Shimada, T. *see* Nishiyama, Y.
Shinkai, H. *see* Nishiyama, Y.
Sigfússon, N. *see* Hardarson, T.
Sigvaldason, H. *see* Hardarson, T.
Simon, A. *see* Kumlin, L.
Sjökvist, P. *see* Nilstun, T.
Skopál, J. *see* Kolev, K.
Smith, U. *see* Axelsson, T.
Söderberg, S. *see* Lindeberg, S.
Stahlenhoef, A.F.H., Hectors, M. & Demacker, P.N.M. Effect of plant sterol-enriched margarine on plasma lipids and sterols in subjects heterozygous for phytosterolaemia, 163
Stål, P. *see* Bergquist, A.
Sundkvist, G. *see* Wibell, L.
Svärdsudd, K. *see* Björkegren, K.

Tähtelä, R. *see* Kauppinen-Mäkelin, R.
Takano, T. *see* Nishiyama, Y.
Tamimi, R.M. *see* Mucci, L.A.
Tamura, K. *see* Nishiyama, Y.

Tanaka, S. & Kobayashi, T. Reply, 275 (Letter to the Editor)
Thorgeirsson, G. *see* Hardarson, T.
Thorsson, P. *see* Scott, A.
Tiberghien, P. Use of suicide gene-expressing donor T-cells to control alloreactivity after haematopoietic stem cell transplantation, 369 (Minisymposium)
Törnquist, C. *see* Scott, A.
Tørring, I. *see* Hagstrup Christensen, J.
Torsoli, A. *see* Picarelli, A.
Trecca, A. *see* Picarelli, A.
Trichopoulos, D. *see* Mucci, L.A.
Trono, D. *see* Woods, N.-B.

Ukkola, O., Erkkilä, P.H., Savolainen, M.J. & Kesäniemi, Y.A. Lack of association between polymorphisms of catalase, copper–zinc superoxide dismutase (SOD), extracellular SOD and endothelial nitric oxide synthase genes and macroangiopathy in patients with type 2 diabetes mellitus, 451

Välimäki, M.J. *see* Kauppinen-Mäkelin, R.
Van Gilst, W.H. *see* Hillege, H.L.
Van Soolingen, D. Molecular epidemiology of tuberculosis and other mycobacterial infections: main methodologies and achievements, 1 (Review)
Vanninen, E. *see* Nousiainen, T.
Von Arbin, M. *see* Laska, A.C.

Wagner, J. *see* Ritz, E.
Wahlgren, N. *see* Ahmed, N.
Wahren, J. *see* Hökfelt, T.
Waldenström, A. *see* Ronquist, G.
Waldenström, A., Engström, I. & Ronquist, G. Increased erythrocyte content of Ca^{2+} in patients with Tarui's disease, 97
Wang, G.-S. *see* Bergquist, A.
Watanabe, A. *see* Nishiyama, Y.
Wedel, H. *see* Bokemark, L.
Wedren, S. *see* Mucci, L.A.
Wendelhag, I. *see* Agewall, S.
Werkö, L. *see* Brorsson, B.
Westheim, A. *see* Djurovic, S.
Wibell, L., Nyström, L., Östman, J., Arnqvist, H., Blohmé, G., Lithner, F., Littorin, B. & Sundkvist, G. Increased mortality in diabetes during the first 10 years of the disease. A population-based study (DISS) in Swedish adults 15–34 years old at diagnosis, 263
Wiklund, O., Hulthe, J., Bondjers, G. & Hurt-Camejo, E. Cell adhesion molecules and secretory type II phospholipase A_2 in relation to carotid atherosclerosis in patients with hypercholesterolemia, 441
Wikstrand, J. *see* Agewall, S.
Wikstrand, J. *see* Bokemark, L.
Wilhelmsen, L., Rosengren, A., Eriksson, H. & Lappas, G. Heart failure in the general population of men – morbidity, risk factors and prognosis, 253
Willett, W.C. Diet and breast cancer, 395 (Review)
Wollmer, C. *see* Scott, A.
Woods, N.-B., Mikkola, H., Nilsson, E., Olsson, K., Trono, D. & Karlsson, S. Lentiviral-mediated gene transfer into haematopoietic stem cells, 339 (Minisymposium)
Wurm, K. *see* Schürmann, M.

Yamagata, K. *see* Hirayama, K.
Yoh, K. *see* Hirayama, K.

Zizek, B. & Poredos, P. Insulin resistance adds to endothelial dysfunction in hypersensitive patients and in normotensive offspring of subjects with essential hypertension, 189